



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2013 - December 31, 2013

Filing Confirmation Number: 0006098085

Filing Deadline: January 15, 2014

FRN: 0018868786

Filing Date: 01/13/2014 05:14 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: Allied Wireless Communications Corporation

Brand Names: Alltel, U-Lifeline Wireless

PO Box:

Street Address: 1001 Technology Drive

City: Little Rock

State: AR

Zip Code: 72223

Contact Name: Rohan Ranaraja

Contact Phone: (501) 448-1249

Contact Fax: (501) 448-1150

Contact Email: rranaraja@atni.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency

band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?
Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.alltelwireless.com/misc/accessibility.html>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Alltel's compliant handset devices are publicly available on the company website. Information on the company website includes a listing of each handset device and its M/T rating. A description of the ANSI Standard (M/T Ratings) and the functionality of each handset are also included.

Sales personnel at Alltel are regularly familiarized with HAC requirements and ratings. A mandatory training program is conducted for all retail store and customer service employees annually. Employees are also provided access to HAC requirements and ratings on the company intranet so that Alltel employees can respond to customer inquiries promptly and accurately.

All handset displays at retail stores identify the M/T rating for each handset on display and customers may test the handset with their hearing aid devices. Further, Alltel offers a 15-day trial period during which a customer may try out a handset device and determine whether the handset device works well with the customer's hearing aid.

Alltel also provides contact information on the company's website that customers may use have any questions relating to hearing aid compatible handsets answered.

Methodology for Functionality Levels

Alltel has categorized its handsets into three tiers based on functionality.

Tier 1 - Basic phones are generally devices that provide voice service and texting functionality only. If a basic phone is equipped with data functionality, it utilizes 1X RTT Technology.

Tier 2 - Advanced Phones offer EVDO in addition to voice and texting functionality. Devices that are EVDO capable offer faster data rates.

Tier 3 - Smart phones that offer advanced computer like features such as full featured e-mail, personal organizer,

MP3 Player, enhanced camera/video capability and gives the customer the ability to add other applications for personal use in addition to voice and texting functionality.

Report Remarks

Allied Wireless Communications Corporation and its owned and/or managed partnerships operate and offer devices in the marketplace under the name Alltel.

On September 20, 2013, licenses held by Allied Wireless Communications Corporation were acquired by a subsidiary of AT&T pursuant to FCC authorizations. These markets continue to operate as Alltel and offer wireless devices pursuant to the terms of a transition service agreement with AT&T's subsidiary. This report lists all handsets offered by Alltel during 2013.

You have reported the following handset model summary information.

Total number of handsets offered: 32

| Air Interface | Fully Hearing Aid Compatible | | Acoustic Coupling Compatible Only | | Non-Compliant Handsets | | Excluded Handsets Number | Total by Air Interface |
|---------------|------------------------------|---------|-----------------------------------|---------|------------------------|---------|--------------------------|------------------------|
| | Number | Percent | Number | Percent | Number | Percent | | |
| CDMA | 26 | 81% | 5 | 16% | 1 | 3% | | 32 |

Handset 1: Alcatel One Touch Ultra 960C

Handset Maker

Alcatel

Handset Model Name

One Touch Ultra 960C

FCC ID

RAD278

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 10/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 2: Apple iPhone 4S

Handset Maker

Apple

Handset Model Name

iPhone 4S

FCC ID

BCG-E2430A

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 03/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

16GB

Handset 3: Apple iPhone 5

Handset Maker

Apple

Handset Model Name

iPhone 5

FCC ID

BCG-E2599A

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 03/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Includes 16GB, 32GB and 64GB.

Handset 4: Apple iPhone 5c

Handset Maker

Apple

Handset Model Name

iPhone 5c

FCC ID

BCG-E2644A

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 10/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

16GB

Handset 5: Apple iPhone 5s

Handset Maker

Apple

Handset Model Name

iPhone 5s

FCC ID

BCG-E2642A

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

16GB, 32 GB

Handset 6: Apple iPhone4**Handset Maker**

Apple

Handset Model Name**FCC ID**

iPhone4

BCG-E2422A, BCG-E2422B

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

8GB

Handset 7: HTC Desire

Handset Maker

HTC

Handset Model Name

Desire

FCC ID

NM80P4E100

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 11/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 8: HTC One V 6290

Handset Maker

HTC

Handset Model Name

One V 6290

FCC ID

NM8PK76300

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 9: Huawei M886**Handset Maker**

Huawei

Handset Model Name**FCC ID**

M886

QISM866

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 10: LG AN160

Handset Maker

LG

Handset Model Name

AN160

FCC ID

ZNFAN160

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 08/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 1

Remarks

Handset 11: LG Optimus

Handset Maker

LG

Handset Model Name

Optimus

FCC ID

BEJMN180

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 12: Motorola Milestone 3**Handset Maker**

Motorola

Handset Model Name**FCC ID**

Milestone 3

IHDT56MF1

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 13: Motorola Milestone x2

Handset Maker

Motorola

Handset Model Name

Milestone x2

FCC ID

IHDT56MJ1

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 14: Motorola Moto X

Handset Maker

Motorola

Handset Model Name

Moto X

FCC ID

IHDT56PB1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 12/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 15: Motorola Quantico W845**Handset Maker**

Motorola

Handset Model Name**FCC ID**

Quantic W845

IHDT56KS1

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 04/10 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 2

Remarks

Handset 16: Motorola Razr MAXX

Handset Maker

Motorola

Handset Model Name

Razr MAXX

FCC ID

IHDP56ME1

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 17: Research In Motion Limited Blackberry9330 Curve

Handset Maker

Research In Motion Limited

Handset Model Name

Blackberry9330 Curve

FCC ID

L6ARDU70CW

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/11 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart Phone - Tier 3

Remarks

Handset 18: Research In Motion Limited Blackberry9850 Torch**Handset Maker**

Research In Motion Limited

Handset Model Name FCC ID

Blackberry9850 Torch L6ARDH70CW

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/11 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 19: Samsung Freeform 4 R390

Handset Maker

Samsung

Handset Model Name

Freeform 4 R390

FCC ID

A3LSCHR390A

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 1

Remarks

Handset 20: Samsung FREEFORM 5

Handset Maker

Samsung

Handset Model Name

FREEFORM 5

FCC ID

A3LSCHR480C

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 1

Remarks

Handset 21: Samsung Galaxy SIII**Handset Maker**

Samsung

Handset Model Name**FCC ID**

Galaxy SIII

A3LSCHI535

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 22: Samsung i100 Gem

Handset Maker

Samsung

Handset Model Name

i100 Gem

FCC ID

A3LSCHI100

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 02/11 to 02/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 23: Samsung i500 Showcase

Handset Maker

Samsung

Handset Model Name

i500 Showcase

FCC ID

A3LSCHI500

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/11 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks**Handset 24: Samsung R261 Chrono****Handset Maker**

Samsung

Handset Model Name**FCC ID**

R261 Chrono

A3LSCHR261

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 2

Remarks

Handset 25: Samsung R631

Handset Maker

Samsung

Handset Model Name

R631

FCC ID

A3LSCHR631

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/10 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 2

Remarks

Handset 26: Samsung R640 Character

Handset Maker

Samsung

Handset Model Name

R640 Character

FCC ID

A3LSCHR640

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 2

Remarks

Handset 27: Samsung R760 (Galaxy S2)**Handset Maker**

Samsung

Handset Model Name**FCC ID**

R760 (Galaxy S2)

A3LSCHR760

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 28: Samsung Repp R680

Handset Maker

Samsung

Handset Model Name

Repp R680

FCC ID

A3LSCHR680

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 29: SONIM XP3400 Armor

Handset Maker

SONIM

Handset Model Name

XP3400 Armor

FCC ID

WYPC21F007AA

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 2

Remarks

Handset 30: Unimax 570**Handset Maker**

Unimax

Handset Model Name**FCC ID**

570

U46-M570

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 1

Remarks

Handset 31: Unimax MXC628

Handset Maker

Unimax

Handset Model Name

MXC628

FCC ID

U46-C5620

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 1

Remarks

Handset 32: Unimax U680

Handset Maker

Unimax

Handset Model Name

U680

FCC ID

P46-U680

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 2

Remarks

Certification

This Report has been certified by:

Rohan Ranaraja Director Regulatory Compliance
01/13/2014 05:14 PM